(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 1 of 21 Print date: 29/03/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

### 1.1 Product identifier.

Product Name: RESINA EPOXI Product Code: REPOXI

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Not available.

# 1.3 Details of the supplier of the safety data sheet.

Company: FIXCER PRODUCTS, S.A.U.

Address: CTRA. SANT CUGAT KM. 3
City: CERDANYOLA DEL VALLÈS

Province: BARCELONA
Telephone: 93 586 20 03
Fax: 93 586 10 91
E-mail: fixcer@fixcer.com
Web: www.fixcer.com

**1.4 Emergency telephone number:** Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420. (Available 24 hours)

Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420. Información en español (24h/365 días). Únicamente con la finalidad de proporcionar respuesta sanitaria en caso de urgencia.

### **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

Eye Irrit. 2 : Causes serious eye irritation.

Skin Irrit. 2: Causes skin irritation.

Skin Sens. 1: May cause an allergic skin reaction.

### 2.2 Label elements.

# Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:





# Signal Word:

### Warning

### Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eve irritation.

H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

(in accordance with Regulation (EU) 2020/878)

# FIXCER

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022

Page 2 of 21 Print date: 29/03/2023

P391 Collect spillage.

P501 Dispose of contents/container to ...

**EUH statements:** 

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Contains:

bis-[4-(2,3-epoxipropoxi)phenyl]propane oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

### 3.1 Substances.

Not Applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

|  |  |             | (*)Classification - Regulation (EC)<br>No 1272/2008  |   |
|--|--|-------------|--|---|
| Identifiers  | Name   | Concentrate | Classification   | Specifics<br>concentration<br>limits and Acute<br>toxicity estimate |
| Index No: 603-073-<br>00-2<br>CAS No: 1675-54-3<br>EC No: 216-823-5  | bis-[4-(2,3-epoxipropoxi)phenyl]propane  | 5 - 75 %    | Eye Irrit. 2,<br>H319 - Skin<br>Irrit. 2, H315 -<br>Skin Sens. 1,<br>H317                              | Eye Irrit. 2,<br>H319: C ≥ 5 %<br>Skin Irrit. 2,<br>H315: C ≥ 5 %   |
| CAS No: 9003-36-5<br>EC No: 500-006-8<br>Registration No: 01-<br>2119454392-40-XXXX                                | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | 25 - 50 %   | Aquatic Chronic<br>2, H411 - Eye<br>Irrit. 2, H319 -<br>Skin Irrit. 2,<br>H315 - Skin<br>Sens. 1, H317 | -   |
| Index No: 603-103-<br>00-4<br>CAS No: 68609-97-2<br>EC No: 271-846-8<br>Registration No: 01-<br>2119485289-22-XXXX | oxirane, mono[(C12-14-alkyloxy)methyl] derivs.                                       | 10 - 25 %   | Skin Irrit. 2,<br>H315 - Skin<br>Sens. 1, H317   | -   |

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

### **SECTION 4: FIRST AID MEASURES.**

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

# 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### Inhalation.

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 3 of 21 Print date: 29/03/2023

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate. It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

### **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

### 5.1 Extinguishing media.

### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

### **Unsuitable extinguishing media:**

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

# 5.2 Special hazards arising from the substance or mixture.

# Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 4 of 21 Print date: 29/03/2023

### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

# 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

|      |  | Qualifying quant<br>the applic |                         |
|------|--|--------------------------------|-------------------------|
| Code | Description  | Lower-tier requirements        | Upper-tier requirements |
| E2   | ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Chronic 2 | 200                            | 500                     |

### 7.3 Specific end use(s).

-

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

| Name   | DNEL/DMEL | Туре                                  | Value                |
|--|-----------|---------------------------------------|----------------------|
| ovirana mana[(C12, 14, alludovu)mathyd] dariya | DNEL      | Inhalation, Chronic, Local effects    | 0,98                 |
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | (Workers) |                                       | (mg/m³)              |
| CAS No: 68609-97-2                             | DNEL      | Inhalation, Chronic, Systemic effects | 13,8                 |
| EC No: 271-846-8                               | (Workers) | , , ,                                 | (mg/m <sup>3</sup> ) |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

# 8.2 Exposure controls.

### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

| Concentration:            | 100 %   |
|---------------------------|---|
| Uses:                     |   |
| <b>Breathing protecti</b> | on:   |
| PPF:                      | Filter mask for protection against gases and particles. |

(in accordance with Regulation (EU) 2020/878)



# **CERPOXI**

Version 1 Date of compilation: 29/09/2022

Page 5 of 21 Print date: 29/03/2023

«CE» marking, category III. The mask must have a wide field of vision and an Characteristics:

anatomically designed form in order to be sealed and watertight.

EN 136, EN 140, EN 405 CEN standards:

Should not be stored in places exposed to high temperatures and damp environments before use. Special Maintenance:

attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.

Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols:

P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.

Filter Type needed:

**Hand protection:** 

Observations:

PPE: Protective gloves against chemicals.

Characteristics: «CE» marking, category III.

CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420

Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible.

Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or

adhesives.

Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Observations:

Always use with clean, dry hands.

Breakthrough time Material thickness 0,35 Material: PVC (polyvinyl chloride) > 480 (min.): (mm):

Eye protection:

CEN standards:

Skin protection:

Protective goggles with built-in frame.

«CE» marking, category II. Eye protector with built-in frame for protection against Characteristics:

dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 168

Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should Maintenance:

be disinfected periodically following the manufacturer's instructions.

Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, Observations:

scraping etc.

Chemical protective clothing PPE:

«CE» marking, category III. Clothing should fit properly. The level of protection

Characteristics: must be set according to a test parameter called BT (Breakthrough Time), which

indicates how long it takes for the chemical to pass through the material.

EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034 CEN standards:

In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance:

the manufacturer.

The protective clothing's design should facilitate correct positioning, staying in place without moving for

Observations: the period of use expected, bearing in mind environmental factors as well as any movement or position

the user might adopt while carrying out the activity.

PPE: Anti-static safety footwear against chemicals.

«CE» marking, category III. Check the list of chemicals against which the footwear Characteristics:

EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345 CFN standards:

For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions Maintenance:

specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is

The footwear should be cleaned regularly and dried when damp, although it should not be placed too Observations:

close to a source of heat in order to avoid any sharp changes in temperature.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

# 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Not applicable/Not available due to the nature/properties of the product Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable Melting point: Not applicable Freezing point: Not applicable

Boiling point or initial boiling point and boiling range: Not applicable

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 6 of 21 Print date: 29/03/2023

Flammability: Not applicable

Lower explosion limit: Not applicable Upper explosion limit: Not applicable

Flash point: Not applicable

Auto-ignition temperature: Not applicable Decomposition temperature: Not applicable

pH: Not applicable (Substance/mixture is non-soluble (in water)).

Kinematic viscosity: Not applicable Solubility: Not applicable Hydrosolubility: Not applicable Liposolubility: Not applicable

Partition coefficient n-octanol/water (log value): Not applicable

Vapour pressure: Not applicable Absolute density: Not applicable Relative density: Not applicable Relative vapour density: Not applicable Particle characteristics: Not applicable

### 9.2 Other information

Viscosity: Not applicable

Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product

Dropping point: Not applicable

Blink: Not applicable

### **SECTION 10: STABILITY AND REACTIVITY.**

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Unstable in contact with:

- Acids.
- Bases.
- Oxidizing agents.

### 10.3 Possibility of hazardous reactions.

At high temperatures can occur pyrolysis and dehydrogenation. In certain conditions this may cause a polymerization reaction.

### 10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- High temperature.
- Contact with incompatible materials.

# 10.5 Incompatible materials.

Avoid the following materials:

- Acids.
- Bases.
- Oxidizing agents.

# 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- COx (carbon oxides).
- Organic compounds.
- Aromatics compounds.

In case of fire, dangerous decomposition products can be generated, such as carbon monoxide and dioxide and nitrogen fumes and oxides.

### **SECTION 11: TOXICOLOGICAL INFORMATION.**

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 7 of 21 Print date: 29/03/2023

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Product classified:

Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

### 11.2 Information on other hazards.

# **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

### **Other information**

There is no information available on other adverse health effects.

# **SECTION 12: ECOLOGICAL INFORMATION.**

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 8 of 21 Print date: 29/03/2023

The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

# 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### **SECTION 14: TRANSPORT INFORMATION.**

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

### 14.1 UN number or ID number.

UN No: UN3082

### 14.2 UN proper shipping name.

Description:

ADR/RID: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS FORMALDEHYDE, OLIGOMERIC REACTION PRODUCTS WITH 1-CHLORO-2,3-EPOXYPROPANE AND PHENOL), 9, PG III, (-)

IMDG: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS FORMALDEHYDE, OLIGOMERIC REACTION PRODUCTS WITH 1-CHLORO-2,3-EPOXYPROPANE AND PHENOL), 9, PG III, MARINE POLLUTANT

UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS FORMALDEHYDE, ICAO/IATA: OLIGOMERIC REACTION PRODUCTS WITH 1-CHLORO-2,3-EPOXYPROPANE AND PHENOL), 9, PG III

### 14.3 Transport hazard class(es).

Class(es): 9

### 14.4 Packing group.

Packing group: III

### 14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-F

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 9 of 21 Print date: 29/03/2023

### 14.6 Special precautions for user.

Labels: 9



Hazard number: 90 ADR LQ: 5 L IMDG LQ: 5 L ICAO LQ: 30 kg B

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

# **SECTION 15: REGULATORY INFORMATION.**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC)

VOC content (p/p): 0 % VOC content: 0 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): E2

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

### Classification codes:

Aquatic Chronic 2: Chronic effect to the aquatic environment, Category 2

Eye Irrit. 2 : Eye irritation, Category 2 Skin Irrit. 2 : Skin irritant, Category 2 Skin Sens. 1 : Skin sensitiser, Category 1

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 10 of 21 Print date: 29/03/2023

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 11 of 21 Print date: 29/03/2023

### 1.1 Product identifier.

Product Name: ENDURECEDOR Product Code: ENDBL

### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Not available.

### Uses advised against:

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet.

Company: FIXCER PRODUCTS, S.A.U.

Address: CTRA. SANT CUGAT KM. 3 City: CERDANYOLA DEL VALLÈS

Province: BARCELONA
Telephone: 93 586 20 03
Fax: 93 586 10 91
E-mail: fixcer@fixcer.com
Web: www.fixcer.com

**1.4 Emergency telephone number:** Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420. (Available 24 hours)

Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420. Información en español (24h/365 días). Únicamente con la finalidad de proporcionar respuesta sanitaria en caso de urgencia.

# **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Acute Tox. 4: Harmful if swallowed.

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Eye Dam. 1: Causes serious eye damage.

Skin Corr. 1A: Causes severe skin burns and eye damage.

Skin Sens. 1: May cause an allergic skin reaction.

# 2.2 Label elements.

# Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:





### Signal Word:

### **Danger**

### Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

# Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

(in accordance with Regulation (EU) 2020/878)

# FIXCER

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022

Page 12 of 21 Print date: 29/03/2023

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...
P321 Specific treatment (see ... on this label).

**EUH statements:** 

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Contains:

benzyl alcohol

3,6,9-triazaundecamethylenediamine, tetraethylenepentamine

3-aminomethyl-3,5,5-trimethylcyclohexylamine

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine)

m-phenylenebis(methylamine)

Fatty acids, tall-oil, reaction products with tetraethylenepentamine

Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer

### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

### 3.1 Substances.

Not Applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

|   |  |             | (*)Classification - Regulation (EC)<br>No 1272/2008   |   |
|---|--|-------------|---|---|
| Identifiers   | Name   | Concentrate | Classification  | Specifics<br>concentration<br>limits and Acute<br>toxicity estimate               |
| Index No: 603-057-<br>00-5<br>CAS No: 100-51-6<br>EC No: 202-859-9<br>Registration No: 01-<br>2119492630-38-XXXX  | benzyl alcohol   | 2 - 50 %    | Acute Tox. 4,<br>H302+H332  | -   |
| CAS No: 68609-08-5  | Cyclohexanemethanamine, 5-amino-1,3,3-<br>trimethyl-, reaction products with bisphenol A<br>diglycidyl ether homopolymer | 5 - 50 %    | Eye Dam. 1,<br>H318 - Skin<br>Corr. 1B, H314  | -   |
| Index No: 612-067-<br>00-9<br>CAS No: 2855-13-2<br>EC No: 220-666-8<br>Registration No: 01-<br>2119514687-32-XXXX | 3-aminomethyl-3,5,5-trimethylcyclohexylamine   | 5 - 25 %    | Acute Tox. 4,<br>H302 - Eye<br>Dam. 1, H318 -<br>Skin Corr. 1B,<br>H314 - Skin<br>Sens. 1, H317 | Skin Sens. 1A,<br>H317: C ≥<br>0,001%<br>Oral: ETA =<br>1030 mg/kg pc<br>(ATP 17) |
| CAS No: 68953-36-6<br>EC No: 273-201-6  | Fatty acids, tall-oil, reaction products with tetraethylenepentamine   | 10 - 20 %   | Eye Irrit. 2,<br>H319 - Skin<br>Irrit. 2, H315 -<br>Skin Sens. 1,<br>H317                       | -   |

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 13 of 21 Print date: 29/03/2023

| CAS No: 113930-69-1<br>EC No: 500-302-7<br>Registration No: 01-<br>2119965162-39-XXXX | 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine) | 5 - 25 %  | Aquatic Chronic 3, H412 - Eye Dam. 1, H318 - Skin Corr. 1B, H314 - Skin Sens. 1, H317                       |  |
|---|--|-----------|---|--|
| CAS No: 1477-55-0<br>EC No: 216-032-5<br>Registration No: 01-<br>2119480150-50-XXXX   | [2] m-phenylenebis(methylamine)  | 5 - 25 %  | Acute Tox. 4,<br>H302 - Skin<br>Corr. 1A, H314<br>- Skin Sens. 1,<br>H317                                   |  |
| Index No: 612-060-<br>00-0<br>CAS No: 112-57-2<br>EC No: 203-986-2                    | 3,6,9-triazaundecamethylenediamine,<br>tetraethylenepentamine  | 1 - 2.5 % | Acute Tox. 4,<br>H302+H312 -<br>Eye Irrit. 2,<br>H319 - Skin -<br>Irrit. 2, H315 -<br>Skin Sens. 1,<br>H317 |  |

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

# **SECTION 4: FIRST AID MEASURES.**

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

### Eve contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

Contact with eyes may cause irreversible damage.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

### **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

### 5.1 Extinguishing media.

### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

<sup>[2]</sup> Substance with a national workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 14 of 21 Print date: 29/03/2023

### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

# 5.2 Special hazards arising from the substance or mixture.

### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

During a fire and depending on its magnitude the following may occur:

- NOx (nitrogen oxides).

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

# **SECTION 7: HANDLING AND STORAGE.**

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

-

(in accordance with Regulation (EU) 2020/878)



# **CERPOXI**

Version 1 Date of compilation: 29/09/2022

Page 15 of 21 Print date: 29/03/2023

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

### 8.1 Control parameters.

Work exposure limit for:

| Name                        | CAS No.   | Country  | Limit value | ppm | mg/m³ |
|-----------------------------|-----------|----------|-------------|-----|-------|
| m nhanylanahia(mathylamina) | 1477-55-0 | Éire [1] | Eight hours |     | 0,1   |
| m-phenylenebis(methylamine) |           |          | Short term  |     |       |

[1] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

| Name             | DNEL/DMEL | Туре                                  | Value   |
|------------------|-----------|---------------------------------------|---------|
| benzyl alcohol   | DNEL      | Inhalation, Chronic, Systemic effects | 90      |
| CAS No: 100-51-6 | (Workers) |                                       | (mg/m³) |
| EC No: 202-859-9 |           |                                       |         |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

### 8.2 Exposure controls.

### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

| Concentration:           | 100 %   |  |  |  |
|--------------------------|---|--|--|--|
| Uses:                    |   |  |  |  |
| <b>Breathing protect</b> | tion:   |  |  |  |
| PPE:                     | Filter mask for protection against gases and particles.   |  |  |  |
| Characteristics:         | «CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.   |  |  |  |
| CEN standards:           | EN 136, EN 140, EN 405  |  |  |  |
| Maintenance:             | Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach |  |  |  |
| Observations:            | the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.  |  |  |  |
| Filter Type needed:      | A2  |  |  |  |
| Hand protection:         |   |  |  |  |
| PPE:                     | Protective gloves against chemicals.  |  |  |  |
| Characteristics:         | «CE» marking, category III.   |  |  |  |
| CEN standards:           | EN 374-1, En 374-2, EN 374-3, EN 420  |  |  |  |
| Maintenance:             | Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.  |  |  |  |
| Observations:            | Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.  |  |  |  |
| Material:                | PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): 0,35  |  |  |  |
| Eye protection:          |   |  |  |  |
| PPE:                     | Protective goggles with built-in frame.   |  |  |  |
| Characteristics:         | «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.  |  |  |  |
| CEN standards:           | EN 165, EN 166, EN 167, EN 168  |  |  |  |
| Maintenance:             | Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.   |  |  |  |
| Observations:            | Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  |  |  |  |
| Skin protection:         |   |  |  |  |

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 16 of 21 Print date: 29/03/2023

PPE: Chemical protective clothing «CE» marking, category III. Clothing should fit properly. The level of protection Characteristics: must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material. EN 464, EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034 CEN standards: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance: the manufacturer. The protective clothing's design should facilitate correct positioning, staying in place without moving for the period of use expected, bearing in mind environmental factors as well as any movement or position Observations: the user might adopt while carrying out the activity. PPE: Anti-static safety footwear against chemicals. «CE» marking, category III. Check the list of chemicals against which the footwear Characteristics: is resistant. EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345 CEN standards: For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions Maintenance: specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed. The footwear should be cleaned regularly and dried when damp, although it should not be placed too Observations: close to a source of heat in order to avoid any sharp changes in temperature.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Not applicable/Not available due to the nature/properties of the product Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable Melting point: Not applicable Freezing point: Not applicable

Boiling point or initial boiling point and boiling range: Not applicable

Flammability: Not applicable Lower explosion limit: Not applicable Upper explosion limit: Not applicable Flash point: Not applicable

Auto-ignition temperature: Not applicable Decomposition temperature: Not applicable

pH: Not applicable (Substance/mixture is non-soluble (in water)).

Kinematic viscosity: Not applicable Solubility: Not applicable Hydrosolubility: Not applicable Liposolubility: Not applicable

Partition coefficient n-octanol/water (log value): Not applicable

Vapour pressure: Not applicable Absolute density: Not applicable Relative density: Not applicable Relative vapour density: Not applicable Particle characteristics: Not applicable

# 9.2 Other information

Viscosity: Not applicable

Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product

Dropping point: Not applicable

Blink: Not applicable

# **SECTION 10: STABILITY AND REACTIVITY.**

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 17 of 21 Print date: 29/03/2023

Unstable in contact with:

- Acids.
- Bases.
- Oxidizing agents.

### 10.3 Possibility of hazardous reactions.

In certain conditions this may cause a polymerization reaction.

### 10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- High temperature.
- Contact with incompatible materials.

### 10.5 Incompatible materials.

Avoid the following materials:

- Acids.
- Bases.
- Oxidizing agents.

### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- COx (carbon oxides).
- Organic compounds.
- Aromatics compounds.

# **SECTION 11: TOXICOLOGICAL INFORMATION.**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

There are no tested data available on the product.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Dermal) = 49.550 mg/kg

ATE (Oral) = 956 mg/kg

b) skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1A: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 18 of 21 Print date: 29/03/2023

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

### 11.2 Information on other hazards.

# **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

### Other information

There is no information available on other adverse health effects.

### **SECTION 12: ECOLOGICAL INFORMATION.**

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

| Name             |                  |         | Bioaccumulation |       |          |  |
|------------------|------------------|---------|-----------------|-------|----------|--|
|                  |                  | Log Pow | BCF             | NOECs | Level    |  |
| benzyl alcohol   |                  | 1.05    | _               | _     | Very low |  |
| CAS No: 100-51-6 | EC No: 202-859-9 | 1,05    | -               | -     | very low |  |

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

# 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

# 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

# **SECTION 14: TRANSPORT INFORMATION.**

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 19 of 21 Print date: 29/03/2023

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for

air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

<u>Sea</u>: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN2735

### 14.2 UN proper shipping name.

Description:

ADR/RID: UN 2735, AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS CYCLOHEXANEMETHANAMINE, 5-AMINO-1,3,3-TRIMETHYL-, REACTION PRODUCTS WITH BISPHENOL A DIGLYCIDYL ETHER HOMOPOLYMER / 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE), 8, PG III, (E)

IMDG: UN 2735, AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS CYCLOHEXANEMETHANAMINE, 5-AMINO-1,3,3-TRIMETHYL-, REACTION PRODUCTS WITH BISPHENOL A DIGLYCIDYL ETHER HOMOPOLYMER / 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE), 8, PG III

ICAO/IATA: UN 2735, AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS CYCLOHEXANEMETHANAMINE, 5-AMINO-1,3,3-TRIMETHYL-, REACTION PRODUCTS WITH BISPHENOL A DIGLYCIDYL ETHER HOMOPOLYMER / 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE), 8, PG III

### 14.3 Transport hazard class(es).

Class(es): 8

### 14.4 Packing group.

Packing group: III

### 14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm - Emergency sheets (F - Fire, S - Spills): F-A,S-B

### 14.6 Special precautions for user.

Labels: 8



Hazard number: 80 ADR LQ: 5 L IMDG LQ: 5 L ICAO LQ: 1 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.

Proceed in accordance with point 6. IMDG Code segregation group: 18 Alkalis

# 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

# **SECTION 15: REGULATORY INFORMATION.**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC)

(in accordance with Regulation (EU) 2020/878)

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022



Page 20 of 21 Print date: 29/03/2023

VOC content (p/p): 44,73 % VOC content: 449,829 g/l

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H302 Harmful if swallowed.

H302+H312 Harmful if swallowed or in contact with skin.

H302+H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

### Classification codes:

Acute Tox. 4 : Acute toxicity (Dermal), Category 4 Acute Tox. 4 : Acute toxicity (Inhalation), Category 4 Acute Tox. 4 : Acute toxicity (Oral), Category 4

Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2 Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3

Eye Dam. 1 : Serious eye damage, Category 1  $\,$ 

Eye Irrit. 2 : Eye irritation, Category 2

STOT SE 3: Specific target organ toxicity following a single exposure, Category 3

Skin Corr. 1A: Skin Corrosive, Category 1A Skin Corr. 1B: Skin Corrosive, Category 1B Skin Irrit. 2: Skin irritant, Category 2 Skin Sens. 1: Skin sensitiser, Category 1 Skin Sens. 1A: Skin sensitiser, Category 1A

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

(in accordance with Regulation (EU) 2020/878)

# FIXCER

# **CERPOXI**

Version 1 Date of compilation: 29/09/2022

Page 21 of 21 Print date: 29/03/2023

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.